



Lighting



EXISTING BUILDING INTERIOR LIGHTING

Maximum rebate for combination of measures is \$25,000 per building per year.
Rebates are capped at 50 percent of the equipment cost.

	Measure Description	Rebate/Unit	Requirements
Interior Retrofit Existing Fixture	LED Screw-In	\$2/Lamp	Installation of type-A base bulbs: <ul style="list-style-type: none"> Lamps must be installed in hard-wired, wall- or ceiling-mounted fixtures Lamps installed in portable fixtures are not eligible for rebates Equipment is listed on the ENERGY STAR® or Design Lights Consortium (DLC) Qualified Product List (QPL) Minimum operation time is 1,000 hours annually
	LED Décor/Candelabra	\$4/Lamp	Installation of type, PAR, MR, BR, R, G or B integral screw-in lamps and 2 or 4-pin LED lights: <ul style="list-style-type: none"> Self-contained recessed can/downlight trim kits are acceptable Lamps must be installed in hard-wired, wall- or ceiling-mounted fixtures Lamps installed in portable fixtures are not eligible for rebates Equipment is listed on the ENERGY STAR® or DLC QPL Minimum operation time is 1,000 hours annually
	TLEDs	\$3/Lamp	Installation of T8, T5, T5 HO, or U-Bend LED bulbs: <ul style="list-style-type: none"> Replacement of fluorescent lamps with LED linear tube replacements (TLEDs) TLED rebates are for the retrofit of existing fixtures only TLEDs may be Type A, B or C TLED rebate is the same, regardless of length or size Equipment is listed on the DLC QPL Minimum operation time is 1,000 hours annually
	LED Troffer Retrofit Kit (Integrated Only)	\$25/Fixture	Installation of retrofit LED troffer, panels or similar integrated luminaires in existing fixtures: <ul style="list-style-type: none"> Integrated LED retrofit kits only Linear retrofit kits are NOT eligible Equipment is listed on the DLC QPL Minimum operation time is 1,000 hours annually
New LED Interior Fixtures	LED Can, Track, Pendant	\$10/Fixture, Head or Downlight	Installation of new recessed, surface, pendant, downlight fixture or track luminaires to replace incandescent, halogen, linear fluorescent or CFL luminaires: <ul style="list-style-type: none"> Equipment is listed on the DLC QPL Minimum operation time is 1,000 hours annually
	LED Troffer Fixture	\$25/Fixture	Installation of new LED troffers, panels or similar linear luminaires to replace existing fixture: <ul style="list-style-type: none"> Equipment is listed on the DLC QPL Minimum operation time is 1,000 hours annually
	LED Stairwell Fixture (with Integrated Controls)	\$20/Fixture	Installation of self-contained occupancy-based luminaires in stairwell retrofit projects: <ul style="list-style-type: none"> Eligible fixtures contain onboard, factory-furnished occupancy controls Not eligible for additional lighting control rebates LED retrofit kits are NOT eligible Equipment is listed on the DLC QPL Minimum operation time is 1,000 hours annually
	LED Exit Signs	\$7/Fixture	Installation of LED exit signs to replace incandescent or fluorescent sources: <ul style="list-style-type: none"> LED retrofit kits are NOT eligible Equipment is listed on the DLC QPL Minimum operation time is 1,000 hours annually



Lighting



EXISTING BUILDING HIGH/LOW BAY LIGHTING

Maximum rebate for combination of measures is \$25,000 per building per year.
Rebates are capped at 50 percent of the equipment cost.

	Measure Description	Baseline Wattage (W)	Rebate/Unit	Requirements
New LED High Bay/Low Bay Fixtures	LED High Bay	Existing Fixture > 401 W HID or > 326 W Fluorescent	\$100/Fixture	Installation of LED high/low bay luminaires in place of HID sources or existing linear fluorescent high/low bay luminaires: <ul style="list-style-type: none"> • Equipment is listed on the DLC QPL • LED retrofit kits are NOT permitted • Luminaires installed \geq 15 ft. above finished floors • Wattage ranges referenced in the measure descriptions apply to nominal lamp wattage, not system wattage • Replacement of existing linear fluorescent fixtures is permitted, provided that minimum wattage reduction requirements are met. The sum of the existing lamp wattage will determine which rebate is applicable. • Minimum operation time is 1,000 hours annually • Installation of on-board occupancy sensors qualifies for additional rebate
	LED High Bay	Existing Fixture 400 W-251 W HID or 221 W-325 W Fluorescent	\$60/Fixture	
	LED High Bay	Existing Fixture \leq 250 W HID or \leq 220 W Fluorescent	\$30/Fixture	
New Fluorescent High Bay Fixtures	New Fluorescent T5HO/HPT8 High/Low Bay Fixture	Existing Fixture > 401 W HID or > 326 W Fluorescent	\$50/Fixture	Installation of fluorescent high/low bay luminaires in place of HID sources or T-12 linear fluorescent fixtures: <ul style="list-style-type: none"> • Reduced-wattage T8 and standard T5 lamps are not permitted with this measure code • Overall fixture efficiency must be \geq 80 percent • Luminaires must contain 3–12 lamps and be installed \geq 15 ft. above finished floor • Wattage ranges referenced in the measure descriptions apply to nominal lamp wattage, does not include ballast factor • For existing fluorescent fixtures, the sum of the existing lamp wattage determines which rebate is applicable • Minimum operation time is 1,000 hours annually • Installation of on-board occupancy sensors qualify for additional rebate
	New Fluorescent T5HO/HPT8 High/Low Bay Fixture	Existing Fixture 400 W-251 W HID or 221-325 W Fluorescent	\$30/Fixture	
	New Fluorescent T5HO/HPT8 High/Low Bay Fixture	Existing Fixture \leq 250 W HID or \leq 220 W Fluorescent	\$20/Fixture	





Lighting



EXISTING BUILDING LIGHTING CONTROLS

Maximum rebate for combination of measures is \$25,000 per building per year.
Rebates are capped at 50 percent of the equipment cost.

Measure Description	Min. Watts (W) Controlled	Rebate/Unit	Requirements
Lighting Occupancy Sensor (Wall or Fixture Mounted)	175 W	\$7/Control	Installation of a new occupancy control in place of a manual wall switch: <ul style="list-style-type: none">• Hardwired wall switch occupancy control; passive infrared, ultrasonic or dual technology• Sensors required by energy code are not eligible• Space must have 1,000 hours of occupancy• Fixture mounted sensors may be furnished as new equipment by fixture manufacturer or installed on existing fixture(s) as a retrofit measure• Residential grade controls or those with manual on override capability are not eligible• Sensors controlling less than 175 watts will be prorated on a per project basis
Daylight Sensor	150 W	\$25/Control	Installation of a new occupancy control in place of a manual wall switch: <ul style="list-style-type: none">• Hardwired, wireless ceiling- or wall-mounted daylight sensor, which is designed to dim or switch fixtures based on ambient light levels• Sensors required by energy code are not eligible• Space must have 1,000 hours of occupancy• Parking deck fixtures are eligible• Sensors controlling less than 175 watts will be prorated on a per project basis





Lighting



EXISTING BUILDING EXTERIOR LIGHTING

Maximum rebate for combination of measures is \$25,000 per building per year.
Rebates are capped at 50 percent of the equipment cost.

New LED Exterior Fixtures	Measure Description	Baseline Wattage (W)	Min. Lumen (lm) Output	Rebate/Unit	Requirements
	LED Exterior	Existing Fixture \geq 751 W HID	28,000 lm	\$120/Fixture	Installation of LED luminaires in place of HID sources: <ul style="list-style-type: none"> Exterior fixtures require a functioning time clock or photocell to qualify for lighting incentives LED retrofit kits are NOT permitted Equipment is listed on the DLC QPL Minimum operation time is 1,000 hours annually Lumen output determines final rebate
	LED Exterior	Existing Fixture 750 W-201 W HID	5,000 lm	\$60/Fixture	
	LED Exterior	Existing Fixture 200 W-76 W HID	2,500 lm	\$50/Fixture	
	LED Exterior	Existing Fixture \leq 75 W HID	1,500 lm	\$10/Fixture	

EXISTING BUILDING PARKING DECK LIGHTING

New LED Parking Deck Fixtures	Measure Description	Baseline Wattage (W)	Min. Lumen (lm) Output	Rebate/Unit	Requirements
	Parking Garage LED Light	Existing Fixture \geq 151 W	\$50/Fixture	Parking Garage LED Light	Installation of parking deck luminaires to replace HID, fluorescent or incandescent luminaires: <ul style="list-style-type: none"> LED retrofit kits are NOT permitted Equipment is listed on the DLC qualified product list Minimum operation time is 1,000 hours annually
	Parking Garage LED Light	Existing Fixture \leq 150 W	\$30/Fixture	Parking Garage LED Light	

Additional requirements:

- Parking decks are considered a separate building and are capped at \$25,000 per building per year
- Available only for existing parking garages and fixtures--new parking garages should apply under new construction

EXISTING FUEL CANOPY LIGHTING

New LED Fuel Canopy Fixture	Measure Description	Baseline Wattage (W)	Rebate/Unit	Requirements
	Gas Station Canopy LED Light	Existing fixture \geq 230 W	\$50/Fixture	Installation of gasoline canopy luminaires to replace HID or incandescent luminaires: <ul style="list-style-type: none"> LED retrofit kits are NOT permitted Equipment is listed on the DLC QPL Minimum operation time is 1,000 hours annually





Lighting



EXISTING OUTDOOR POLE-MOUNTED LIGHTING

Maximum rebate for outdoor pole-mounted lighting is \$10,000 per building per year.
Rebates are capped at 50 percent of the equipment cost.

	Measure Description	Baseline Wattage (W)	Min. Lumen (lm) Output	Rebate/Unit	Requirements
New LED Pole-Mounted Fixtures	LED Pole-Mounted Fixture	Existing Fixture ≥ 751 W HID	28,000 lm	\$120/Fixture	Installation of LED luminaires in place of HID sources: <ul style="list-style-type: none"> • Exterior fixtures require a functioning time clock or photocell to qualify for lighting incentives • Pole-mounted outdoor lighting rebates are for metered systems and retrofit projects only • Rebate NOT available for new pole-mounted lighting • LED retrofit kits are NOT eligible • Equipment is listed on the DLC QPL • Lumen output determines final rebate
	LED Pole-Mounted Fixture	Existing Fixture 750 W-201 W HID	5,000 lm	\$50/Fixture	
	LED Pole-Mounted Fixture	Existing Fixture 200 W-76 W HID	2,500 lm	\$30/Fixture	
	LED Pole-Mounted Fixture	Existing Fixture ≤ 75 W HID	1,500 lm	\$10/Fixture	

Additional requirements:

- Rebates for pole-mounted lighting projects must be paid to the Georgia Power customer





Lighting



EXISTING BUILDING INTERIOR LIGHTING

Maximum rebate for combination of measures is \$25,000 per building per year.
Rebates are capped at 50 percent of the equipment cost.

	Proposed Lighting	Rebate/Unit	DLC Primary Use Category
Interior Retrofit Existing Fixture	LED Screw-In	\$2/Lamp	<ul style="list-style-type: none"> Equipment is listed on the DLC QPL
	LED Décor/Candelabra	\$4/Lamp	<ul style="list-style-type: none"> Four pin-base replacement lamps for CFLs ("plug and play") (UL Type A) Additional equipment is listed on the DLC QPL
	TLEDs	\$3/Lamp	<ul style="list-style-type: none"> Linear replacement lamps ("plug and play") (UL Type A) Internal-driver/line voltage linear lamp-style retrofit kits (UL Type B) External-driver linear lamp-style retrofit kits (UL Type C)
	LED Retrofit Kit (Integrated Only)	\$25/Fixture	<ul style="list-style-type: none"> Integrated-style retrofit kits for 2x2, 1x4 and 2x4 luminaires for ambient lighting of interior commercial spaces Linear retrofit kits are NOT permitted
	LED Can, Track, Pendant	\$10/Fixture or Head	<ul style="list-style-type: none"> Track or mono-point directional luminaires Direct linear ambient luminaires: <ul style="list-style-type: none"> – Strip type fixtures are NOT eligible Additional equipment is listed on the DLC QPL
New LED Interior Fixtures	LED Troffer Fixture	\$25/Fixture	<ul style="list-style-type: none"> 1x4, 2x2 and 2x4 luminaires for ambient lighting of interior commercial spaces Linear ambient luminaires with indirect component Direct linear ambient luminaires: <ul style="list-style-type: none"> – Strip type fixtures are NOT eligible Additional equipment is listed on the DLC QPL
	LED Stairwell Fixture (with Integrated Controls)	\$20/Fixture	<ul style="list-style-type: none"> Stairwell/passageway luminaires: <ul style="list-style-type: none"> – NOT eligible for additional lighting control rebates
	LED Exit Signs	\$7/Fixture	<ul style="list-style-type: none"> Equipment is listed on the DLC QPL





Lighting



EXISTING BUILDING HIGH/LOW BAY LIGHTING

Maximum rebate for combination of measures is \$25,000 per building per year.
Rebates are capped at 50 percent of the equipment cost.

	Proposed Lighting	Baseline Wattage (W)	Rebate/Unit	DLC Primary Use Category
New LED High Bay/Low Bay Fixtures	LED High Bay	Existing Fixture > 401 W HID or > 326 W Fluorescent	\$100/Fixture	<ul style="list-style-type: none"> High bay luminaires for commercial and industrial buildings Low bay luminaires for commercial and industrial buildings High bay aisle luminaires for commercial and industrial buildings
	LED High Bay	Existing Fixture 400 W-251 W HID or 221 W-325 W Fluorescent	\$60/Fixture	
	LED High Bay	Existing Fixture < 250 W or 220 W Fluorescent	\$30/Fixture	
New Fluorescent High Bay Fixtures	New Fluorescent T5HO/HPT8 High/Low Bay Fixture	Existing Fixture > 401 W HID or > 326 W Fluorescent	\$50/Fixture	
	New Fluorescent T5HO/HPT8 High/Low Bay Fixture	Existing Fixture 400 W-251 W HID or 221-325 W Fluorescent	\$30/Fixture	
	New Fluorescent T5HO/HPT8 High/Low Bay Fixture	Existing Fixture < 250 W HID or 220 W Fluorescent	\$20/Fixture	





Lighting



EXISTING BUILDING EXTERIOR LIGHTING

Maximum rebate for combination of measures is \$25,000 per building per year
Rebates are capped at 50 percent of the equipment cost.

New LED Exterior Fixtures	Proposed Lighting	Baseline Wattage (W)	Min. Lumen (lm) Output	Rebate/Unit	DLC Primary Use Category
	LED Exterior	Existing Fixture > 751 W HID	28,000 lm	\$120/Fixture	<ul style="list-style-type: none"> Outdoor full-cutoff wall-mounted area luminaires Low bay luminaires for commercial and industrial buildings Outdoor non-cutoff and semi-cutoff wall-mounted Landscape/accent flood and spot luminaires Architectural flood and spot luminaires Wall-wash luminaires
	LED Exterior	Existing Fixture 750 W-201 W HID	7,000 lm	\$60/Fixture	
	LED Exterior	Existing Fixture 200 W-76 W HID	5,000 lm	\$50/Fixture	
	LED Exterior	Existing Fixture < 75 W HID	2,500 lm	\$10/Fixture	

EXISTING BUILDING PARKING DECK LIGHTING

New LED Parking Deck Fixtures	Proposed Lighting	Baseline Wattage (W)	Rebate/Unit	DLC Primary Use Category
	Parking Garage LED Light	Existing Fixture > 151 W	\$50/Fixture	<ul style="list-style-type: none"> Parking garage luminaires
	Parking Garage LED Light	Existing Fixture < 150 W	\$30/Fixture	

EXISTING FUEL CANOPY LIGHTING

New LED Fuel Canopy Fixture	Proposed Lighting	Baseline Wattage (W)	Rebate/Unit	DLC Primary Use Category
	Gas Station Canopy LED Light	Existing fixture \geq 230 W	\$50/Fixture	<ul style="list-style-type: none"> Fuel pump canopy luminaires





Lighting



EXISTING OUTDOOR POLE-MOUNTED LIGHTING

Maximum rebate for outdoor pole-mounted lighting is \$10,000 per building per year.
Rebates are capped at 50 percent of the equipment cost.

	Proposed Lighting	Baseline Wattage (W)	Min. Lumen (lm) Output	Rebate/Unit	DLC Primary Use Category
New LED Pole-Mounted Fixtures	LED Pole-Mounted Fixture	Existing Fixture > 751 W HID	28,000 lm	\$120/Fixture	<ul style="list-style-type: none">Outdoor pole/arm-mounted area and roadway luminairesOutdoor pole/arm-mounted decorative luminaires
	LED Pole-Mounted Fixture	Existing Fixture 750 W-201 W HID	7,000 lm	\$50/Fixture	
	LED Pole-Mounted Fixture	Existing Fixture 200 W-76 W HID	5,000 lm	\$30/Fixture	
	LED Pole-Mounted Fixture	Existing Fixture < 75 W HID	2,500 lm	\$10/Fixture	

Additional requirements:

- Rebates for pole-mounted lighting projects must be paid to the Georgia Power customer

